



N.I.O.R.D.C.
CORPORATE PLANNING
SPECIAL SOLVENT 45/152°C

SOLVENT 400

<u>ANALYSIS</u>	<u>UNIT</u>	<u>LIMIT</u>	<u>TEST METHOD</u>
Density @ 15 °C	kg/m ³	report	ASTM D1298
Distillation :			" D 86
I.B.P	°C	45 min	" "
50% Recovered	°C	80 approx	" "
90% "	°C	120 approx	" "
Dry point	°C	150 max	" "
Recovery	vol%	98 min	" "
Loss	vol%	1 max	" "
Colour Saybolt	—	25 min	" D 156
Odour	—	Merchantable	-
Corrosion - 3hrs@ 100°C	—	1a	" D 130
Sulphur Total	wt%	0.01max	" D 1266
Doctor Test	—	Negative	" D 4952
Aromatic Content	vol%	30 min	" D 1319

The latest issues of the relevant test methods shall be used .

